UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,665,824 B2 Page 1 of 3

APPLICATION NO.: 10/698511
DATED: February 23, 2010
INVENTOR(S): Michel A. Riou et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The Title Page, showing an illustrative figure, should be deleted and substitute therefor the attached title page.

120 ~

On Sheet 1 of 2, in Figure 1, delete "12" and insert -- 42 --, therefor. Replacement Sheet is attached herewith.

On Sheet 1 of 2, in Figure 2, add element number "Replacement Sheet is attached herewith.

" above element number "163".

Signed and Sealed this

Sixth Day of July, 2010

David J. Kappos Director of the United States Patent and Trademark Office

(12) United States Patent Riou et al.

(10) Patent No.:

US 7,665,824 B2

(45) Date of Patent:

Feb. 23, 2010

(54)	DDDDTTTN	C SVOTEM CONDENSED		6 076 012	A .	6/2000	Garcia et al	
(54)	PRINTING SYSTEM CONDENSER			6,076,913		7/2000		
(75)	Inventore	Michel A. Riou, Calgary (CA); David B.		6,085,055			Zenk et al	
(75)	mventors.	Larson, Eagle, ID (US); Martin G.		6,088,560			Kim et al 399/250	
		Rockwell, Sherwood, OR (US); David		6,101,356				
		R. Christmann, Boring, OR (US)		6,174,055		1/2001	•	
		K. Christmann, Donng, OK (OS)		6,176,563			Anderson et al 347/22	
(73)	Assignee:	Hewlett-Packard Development		6,203,138			Hirabayashi et al 347/36	
	Assignee.	Company, L.P., Houston, TX (US)		6,281,911			Nakazawa et al 347/86	
				6,352,324			Pagnon et al 347/6	
(*)	Notice:	Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 1120 days.		6,357,854	B1 *	3/2002	-0	
				6,397,488	B1 *	6/2002	-	
				6,512,900	B2 *	1/2003	Sakai 399/93	
				6,536,863	B1*	3/2003	Beauchamp et al 347/17	
(21)	Appl. No.:	10/698,511		6,553,689	B2 *	4/2003	Jain et al 34/444	
•	••			6,659,587	B2 *	12/2003	Berg et al 347/36	
(22)	Filed:	Oct. 31, 2003		6,771,916	B2 *	8/2004	Hoffman et al 399/92	
				6,854,843	B2*	2/2005	Anami et al 347/104	
(65)	Prior Publication Data			6,874,877	B2*	4/2005	Gaston et al 347/86	
	US 2005/0	0093908 A1 May 5, 2005		6,908,179	B2 *	6/2005	Pan et al 347/86	
(51)	Int. Cl.							
•	B41J 2/165 (2006.01)			(Continued)				
(52)	U.S. Cl	U.S. Cl			(Continued)			
(58)	Field of Classification Search			FOREIGN PATENT DOCUMENTS				
()								
	11		EP	0816097			7/1998	
(56)	References Cited							
	17	C DATENIT DOVELLA CRITE						

U.S. PATENT DOCUMENTS

3,848,988 A	*	11/1974	Thettu et al 399/97
3,854,224 A	*	12/1974	Yamaji et al 34/77
4,004,513 A	*	1/1977	Watanabe et al 101/489
4,524,365 A	*	6/1985	Kakeno et al 347/86
4,556,487 A	*	12/1985	Ueda 210/267
4,914,453 A	*	4/1990	Kanayama et al 347/86
4,919,301 A	*	4/1990	Miller 137/581
4,958,681 A	*	9/1990	Kadle 165/151
5,073,796 A	*	12/1991	Suzuki et al 399/93
5,280,709 A	*	1/1994	Wang 62/617
5,335,000 A		8/1994	Stevens
5,446,487 A	٠	8/1995	Russell et al 347/102
5,532,720 A	٠	7/1996	Krueger et al 347/85
5,771,053 A	•	6/1998	Merrill 347/86
6,025,860 A	*	2/2000	Rosenfeld et al 347/171


(Continued)

Primary Examiner-Matthew Luu Assistant Examiner-Shelby Fidler

ABSTRACT

A printing system includes an ink dispenser configured to dispense ink upon a print medium, a condenser configured to condense vapor into a condensate and a receptacle configured to collect the condensate. The receptacle is perforated to permit a portion of the condensate to evaporate.

37 Claims, 2 Drawing Sheets



U.S. Patent

Feb. 23, 2010

Sheet 1 of 2

7,665,824 B2

